

I-DRAIN® STAINLESS STEEL LINEAR 54


With premounted waterproofing membrane

I-DRAIN® offers you ingenious and innovative shower drains to take care of water drainage from your shower space, expertly and elegantly.

With a built-in height of 54 mm* for its Linear Drains, I-DRAIN® offers the smallest built-in height on the market. This makes it ideally suitable for both renovations and new builds.

Certified:

Tested by SP Sweden: 25 years of watertight and patented adhesion of the waterproofing membrane. EN1253 - ISO 9001 – LGA – KIWA approved.



CHARACTERISTICS

DRAIN

- **Deep-drawn** — Stainless steel 316
- **Construction height:** 54 mm
- **Premounted waterproofing membrane**
 - TESTED — 25 years of durable cohesion
 - Compatible with liquid waterproofing
- **Removable and dismountable siphon**
- **Capacity** — 26,4 l/min. (1 siphon) - 45 l/min. (2 siphons)
- **Output:** 40 mm
- **Water seal:** 30 mm
- **DDS** (double drain system)
- **Delivered with** tile mould and I-Buddy
- **10 year warranty**


GRATINGS

- **9 designs available**
- **7 dimensions** 600 - 700 - 800 - 900 - 1000 - 1100 - 1200
- **Goes with all** grating designs
- **For all types of tile** – 3 mm to 30 mm
- **Tiles of every thickness** with the Tile Base grating
- **Possible to connect** – connection pieces straight or 90°
- Grating has to be ordered separately



TECHNICAL INFO

1 SIPHON




X	Y
609	633
709	733
809	833
909	933
1009	1033
1109	1133
1209	1233

x = visible size

y = construction size (excl. membrane 33 cm)

* Wall and door construction

2 SIPHONS




X	Y	Z
909	933	150
1009	1033	150
1109	1133	200
1209	1233	250

x = visible size

y = construction size (excl. membrane 33 cm)

z = distance between 2 outlets

* Wall and door construction



I-DRAIN® STAINLESS STEEL LINEAR 54

LINEAR 54 - 1 SIPHON

ARTICLE NUMBER	ARTICLE DESCRIPTION	CONSTRUCTION SIZE**	VISIBLE SIZE (+/- GRATING*)	
ID4M06001X1	I-DRAIN® Linear 54 - 60 cm - 1 siphon - without grating	633 mm	609 mm	
ID4M07001X1	I-DRAIN® Linear 54 - 70 cm - 1 siphon - without grating	733 mm	709 mm	
ID4M08001X1	I-DRAIN® Linear 54 - 80 cm - 1 siphon - without grating	833 mm	809 mm	
ID4M09001X1	I-DRAIN® Linear 54 - 90 cm - 1 siphon - without grating	933 mm	909 mm	
ID4M10001X1	I-DRAIN® Linear 54 - 100 cm - 1 siphon - without grating	1033 mm	1009 mm	
ID4M11001X1	I-DRAIN® Linear 54 - 110 cm - 1 siphon - without grating	1133 mm	1109 mm	
ID4M12001X1	I-DRAIN® Linear 54 - 120 cm - 1 siphon - without grating	1233 mm	1209 mm	

* Grating has to be ordered separately.

** Construction size does not include membrane.

LINEAR 54 - 2 SIPHONS

ARTICLE NUMBER	ARTICLE DESCRIPTION	CONSTRUCTION SIZE**	VISIBLE SIZE (+/- GRATING*)	
ID4M09002X1	I-DRAIN® Linear 54 - 90 cm - 2 siphons - without grating	933 mm	909 mm	
ID4M10002X1	I-DRAIN® Linear 54 - 100 cm - 2 siphons - without grating	1033 mm	1009 mm	
ID4M11002X1	I-DRAIN® Linear 54 - 110 cm - 2 siphons - without grating	1133 mm	1109 mm	
ID4M12002X1	I-DRAIN® Linear 54 - 120 cm - 2 siphons - without grating	1233 mm	1209 mm	

* Grating has to be ordered separately.

** Construction size does not include membrane.

CONTENT OF THE BOX

I-DRAIN® LINEAR 54 - 1 SIPHON

- 1x stainless steel drain with:
 - pre-glued waterproofing membrane
 - 1x siphon with a strainer
- 1x tile mould
- 1x outer screw part with outer silicon ring
- 1x plastic corners
- 1x installation mould - I-Buddy
- 1x suction cup
- 1x silicon glue
- 16x (24x) riser blocks 5 mm
- 8x (12x) riser blocks 2,5 mm
- 1x connector 40/40
- 1x reduction connector 40/50
- 1x siphon lifter
- 1x installation manual

CONTENT OF THE BOX

I-DRAIN® LINEAR 54 - 2 SIPHONS


- 1x stainless steel drain with:
 - pre-glued waterproofing membrane
 - 2x siphon with a strainer
- 1x tile mould
- 2x outer screw part with outer silicon ring
- 2x plastic corners
- 1x installation mould - I-Buddy
- 1x suction cup
- 1x silicon glue
- 16x (24x) riser blocks 5 mm
- 8x (12x) riser blocks 2,5 mm
- 2x connector 40/40
- 2x reduction connector 40/50
- 1x siphon lifter
- 1x bag with grating supports
- 1x installation manual

POSSIBLE TO CONNECT

The PLANO grating, in combination with the I-DRAIN® Linear drains, can be easily connected by using the connection pieces.

Available in two designs: Straight and 90°

(go to accessories for pricing).






I-DRAIN® SQUARE 15X15

With or without waterproofing membrane or sand-coated.

As distinct from a traditional drainage well, the I-DRAIN® Square is made entirely of deep drawn stainless steel so there are no welded joints. The extremely low built-in height of 54 mm makes this drain suitable for any new build or renovation work. Another advantage is that the I-DRAIN® Square is suitable for tiling, meaning the well fits seamlessly in any interior.

The I-DRAIN® Square is available with or without premounted waterproofing membrane and in a sand-coated version.



CHARACTERISTICS SQUARE:

- **Deep-drawn** Stainless steel 304
 - Linear : Pre-mounted waterproofing membrane
 - Chape: Sand-coated flange of 45 mm
- **Construction height** of 54 mm
- **DDS** (Double Drain System)
- **Output:** 40 mm
- **Water seal:** 35 mm
- **Capacity** - 24 l/min.
- **Removable and dismountable siphon**
- **Delivered with** I-Buddy and tile mould

GRATINGS

- **Every type of tile possible** - 3 mm to 30 mm
- **Tiles of every thickness** with the Tile Basic grating
- Grating has to be ordered separately

3 grating designs available:



Tile Basic: without tile frame



Plano/Tile (reversible)



Plano/Tile (reversible)



Star: brushed stainless steel



I-DRAIN® SQUARE IS AVAILABLE IN 3 VERSIONS:

I-DRAIN® Square Basic

Not sand-coated



TECHNICAL INFO





I-DRAIN® Square Chape

Sand-coated




TECHNICAL INFO





I-DRAIN® Square Linear


with pre-glued waterproofing membrane

incl. I-Buddy



TECHNICAL INFO





I-DRAIN® SQUARE 15X15

I-DRAIN® SQUARE

ARTICLE NUMBER	ARTICLE DESCRIPTION	CONSTRUCTION SIZE DRAIN**	VISIBLE SIZE* (+/- GRATING*)	
ID4ZSQ0150	I-DRAIN® Square "Basic" (excl. I-Buddy)	228*228 mm	150*150 mm	
ID4CSQ0150	I-DRAIN® Square "Chape" (excl. I-Buddy)	228*228 mm	150*150 mm	
ID4MSQ0150	I-DRAIN® Square "Linear" (incl. I-Buddy)	174*174 mm	150*150 mm	

* Grating has to be ordered separately.

** For I-DRAIN Square Linear: dimensions excl. pre-glued membrane.

CONTENT OF THE BOX I-DRAIN® SQUARE LINEAR

- 1x Square drain:
 - with premounted waterproofing membrane
 - 1x removable and dismountable siphon
- polystyrene tile mould
- outer screw part with outer silicon ring
- polystyrene installation mould (I-Buddy)
- I-DRAIN® connector 40/40
- installation manual

CONTENT OF THE BOX I-DRAIN® SQUARE CHAPE






- 1x Square drain:
 - 1x removable siphon with strainer
 - sand-coated – rough surface
 - stainless steel flange – 45 mm
 - 1x removable and dismountable siphon
- polystyrene tile mould
- outer screw part with outer silicon ring
- I-DRAIN® connector 40/40
- installation manual

CONTENT OF THE BOX I-DRAIN® SQUARE BASIC

- 1x Square drain:
 - 1x removable siphon with strainer
 - stainless steel flange – 45 mm
 - 1x removable and dismountable siphon
- polystyrene tile mould
- outer screw part with outer silicon ring
- I-DRAIN® connector 40/40
- installation manual

TECHNICAL DIMENSIONS

I-DRAIN® STAINLESS STEEL

									
	Chape W/D 54		Chape W/D 72		Linear 54 Linear+ 54		Linear 72 / PRO Linear+ 72		Square 15 x 15 Basic / Chape / Linear
Material	1 siphon	2 siphons	1 siphon		1 siphon	2 siphons	1 siphon	2 siphons	Basic / Chape Linear
	Stainless steel 316 - 1,25 mm		Stainless steel 316 - 1,25 mm		Stainless steel 316 - 1,25 mm		Stainless steel 316 - 1,25 mm		Stainless steel 304 - 1 mm
	Stainless steel 304		Stainless steel 304		Stainless steel 304		Stainless steel 304		Stainless steel 304
	Nylon*		Nylon*		Nylon*		Nylon*		Nylon*
	ABS		ABS		ABS		ABS		ABS
	ABS		ABS		ABS		ABS		ABS
Capacity	Silicone		Silicone		Silicone		Silicone		Silicone
	No		No		Yes		Yes		Linear version only
Dimensions	0,44 l/s		0,53 l/s		0,44 l/s		0,53 l/s		0,40 l/s
Dimensions	54 mm excl. floor finish		72 mm excl. floor finish		54 mm excl. floor finish		72 mm excl. floor finish		54 mm excl. floor finish
	Length of grating (cm)		Length of grating (cm)		Length of grating (cm)		Length of grating (cm)		Length of grating (cm)
	1 siphon	60, 70, 80, 90, 100, 110, 120	1 siphon	60, 70, 80, 90, 100, 110, 120	1 siphon	60, 70, 80, 90, 100, 110, 120	1 siphon	60, 70, 80, 90, 100, 110, 120	14,6
	2 siphons	90, 100, 110, 120	2 siphons	90, 100, 110, 120	2 siphons	90, 100, 110, 120	2 siphons	90, 100, 110, 120	
	Length of drain (cm)		Length of drain (cm)		Length of drain (cm)		Length of drain (cm)		Length of drain (cm)
Dimensions	Length of grating + 99 mm		Length of grating + 99 mm		Length of grating + 33 mm		Length of grating + 33 mm		22,8 x 22,8 - 17,4 x 17,4
	Width of grating (cm)		Width of grating (cm)		Width of grating (cm)		Width of grating (cm)		Width of grating (cm)
	5,5		5,5		5,5		5,5		14,6
Dimensions	30 mm		50 mm		30 mm		50 mm		35 mm
	40 mm - 2 x 40 mm		50 mm		40 mm - 2 x 40 mm		50 mm - 2 x 50 mm		40 mm
	from 3 mm to 3 cm**		from 3 mm to 3 cm**		from 3 mm to 3 cm**		from 3 mm to 3 cm**		from 3 mm to 3 cm**
Dimensions	from 5 mm to ...		from 5 mm to ...		from 5 mm to ...		from 5 mm to ...		

* Glass fibre reinforced ** depending on the grating of choice

I-DRAIN® ABS LINEAR 54

With a pre-applied waterproofing membrane

ABS is a light but tough, impact resistant polymer – Since DRAIN® ABS has a one-piece-moulded body and removable siphon, it is extremely easy to clean. I-DRAIN® ABS is a very solid and cost-effective solution for new buildings and renovations. We have pre-applied the waterproofing membrane to guarantee watertight adhesion.

Certified

Tested by SP Sweden: 25 year watertight and patented adhesion of the waterproofing membrane. ISO 9001 – KIWA approved.



CHARACTERISTICS I-DRAIN® ABS


- **Drain uit hoogwaardig ABS**
- **Pre-glued waterproofing membrane**
 - Sustainable - 25 year warranty on the waterproof adhesion
 - Tested by SP, Technical Research Institute in Sweden
- **Patented removable siphon**
- **Minimal construction height** - 54 mm (floor finish excl.)
- **Capacity** - 0,45 l/s
- **DN 40** – water seal 30
- **DDS** (double drain system)
- **I-Buddy** – Installation mould for a fast and precise installation
- **With tile mould** - for a fast and correct tile finish
- **10 year warranty**

GRATINGS

- **9 designs available**
- **6 dimensions:** 600 - 700 - 800 - 900 - 1000 - 1200
- **Goes with all** grating designs
- **For all types of tile** – 3 mm to 30 mm
- **Tiles of every thickness** with the Tile Base grating
- Grating has to be ordered separately



TECHNICAL INFO



x = visible size
y = construction size

X	Y
602	625
702	725
802	825
902	925
1002	1025
1202	1225



I-DRAIN® ABS LINEAR 54

I-DRAIN® ABS LINEAR 54

ARTICLE NUMBER	ARTICLE DESCRIPTION	CONSTRUCTION SIZE**	VISIBLE SIZE (+/- GRATING*)	
IDABS4M06001X1	I-DRAIN® ABS Linear 54 - 60 cm - 1 siphon - without grating	625 mm	602 mm	
IDABS4M07001X1	I-DRAIN® ABS Linear 54 - 70 cm - 1 siphon - without grating	725 mm	702 mm	
IDABS4M08001X1	I-DRAIN® ABS Linear 54 - 80 cm - 1 siphon - without grating	825 mm	802 mm	
IDABS4M09001X1	I-DRAIN® ABS Linear 54 - 90 cm - 1 siphon - without grating	925 mm	902 mm	
IDABS4M10001X1	I-DRAIN® ABS Linear 54 - 100 cm - 1 siphon - without grating	1025 mm	1002 mm	
IDABS4M12001X1	I-DRAIN® ABS Linear 54 - 120 cm - 1 siphon - without grating	1225 mm	1202 mm	

* Grating has to be ordered separately.

** Dimensions excl. pre-glued waterproofing membrane.

CONTENT OF THE BOX


1. ABS drain with:
 - pre-glued waterproofing membrane
 - 1x siphon with removable strainer
2. 1x tile mould
3. 1x outer screw part with outer silicon ring
4. 2x plastic corners
5. 1x installation mould (I-Buddy)
6. 1x suction cup
7. 1x silicon glue
8. 16x (24x) riser blocks 5 mm
9. 8x (12x) riser blocks 2,5 mm
10. 1x connector 40/40
11. 1x reduction connector 40/50
12. 1x siphon lifter
13. 1x installation manual

POSSIBLE TO CONNECT

The PLANO grating, in combination with the I-DRAIN® Linear drains, can be easily connected by using the connection pieces.


Available in two designs: Straight and 90°

(go to accessories for pricing).






I-DRAIN® ACCESSORIES



ARTICLE NUMBER	ARTICLE DESCRIPTION	
IDSPWS040.V1	Siphon DN40 (1 piece)	
IDSPDR040SET02	Siphon DN40 (10 pieces)	



ID000004AM	Strainer 40 mm (1 piece)	
ID004AM050	Strainer 40 mm (50 pieces)	




ID00GRE001	Tube silicone grease (1 piece)	
ID00GRE050	Tube silicone grease (50 pieces)	




ID16002120	Plastic corners (2 pieces)	
ID16050120	Plastic corners (50 pieces)	



ID16450220	Silicone ring 60sh 40 mm (50 pieces)	
ID16450201	Silicone ring 50sh 40 mm (50 pieces)	




ID000007S3	Connection piece straight 10 cm (mat)	
ID000007S3G	Connection piece straight 10 cm (polished)	



ID000009C3	Connection piece 90° - 10*10 cm (mat)	
ID000009C3G	Connection piece 90° - 10*10 cm (polished)	



ID000007BB	Riser blocks 2,5 mm (12 pieces)	
ID00008025	Riser blocks 2,5 mm (8 pieces)	
ID000007AF	Riser blocks 5 mm (24 pieces)	
ID00016050	Riser blocks 5 mm (16 pieces)	




ID000007AI	I-Lock 40 mm, O-Ring incl.	
ID007AI050	I-Lock 40 mm, O-Ring incl. (50 pieces)	



ID005UN001	Suction cup (1 piece)	
ID005UN050	Suction cup (50 pieces)	



I-DRAIN® ACCESSORIES




ARTICLE NUMBER	ARTICLE DESCRIPTION	
ID000007AG	Water buffer (2 pieces)	




IDMOF0040	Connector piece 40 mm (5 pieces)	
IDMOF0050	Connector piece 50 mm (5 pieces)	




IDMOF04050S	Reduction connector piece 40/50 mm (5st)	
-------------	--	--




ID000007AU	I-Cube basket (1 set = 2 pieces)	
ID007AU050	I-Cube basket (50 sets)	
IDICUBE004	I-Cube 4 pieces (= 1 set)	
IDICUBE100	I-Cube Display masterbox (100 sets)	



IDIBABS120	I-Buddy I-Drain ABS 120 cm	
------------	----------------------------	--



CMD0300	Customised Membrane Dispenser	
---------	-------------------------------	--



IDM000005	I-DRAIN® Waterproofing membrane 5 m	
IDM000030	I-DRAIN® Waterproofing membrane 30 m	



LM00013	MS polymer glue M500 310ml (1piece)	
---------	-------------------------------------	--


(Per box, 1 box = 20 pieces)



ID00SLF001	Siphon lifter 40 (1 piece)	
ID00SLF050	Siphon lifter 40 (50 pieces)	

TECHNICAL DIMENSIONS

I-DRAIN® ABS



ABS Linear 54

Material		1 siphon
Drain		ABS
Grating		Stainless steel 304
Inner screw part		Nylon*
Outer screw part		ABS
Siphon		ABS
Sealing rings		Silicone
DDS (Double Drain System)		Yes
Capacity		
Water column of 20 mm		0,45 l/s
Dimensions		
Construction height		55 mm excl. floor finish
Length of grating (cm)	1 siphon	60, 70, 80, 90, 100, 120
Length of drain (cm)		Length of grating + 25 mm
Width of grating (cm)		5,5
Water seal		30 mm
Output		40 mm
Tile thickness floor		from 3 mm to 3 cm**
Tile thickness wall		from 5 mm to ...

* Glass fibre reinforced ** Depends on the grating of choice



3

I-DRAIN® GRATINGS



PLANO MAT



PLANO MAT 316



PLANO POLISHED



PLANO/TILE SOLID



TILE



TILE 316



TILE BASE



LEVEL-3



SWAROVSKI



SQUARE MODELS

I-DRAIN® GRATINGS

PLANO MAT



CHARACTERISTICS PLANO MAT 304

- Material: Stainless steel 304
- Material grating supports: ABS
- Water buffer possible
- I-Cube basket and I-Cubes possible
- Possible to connect

CONTENT OF THE BOX

I-DRAIN® GRATING PLANO MAT 304


1. 1 x decorative profile
2. 1 x tile frame
3. 2 x I-Cube basket
4. 2 x I-Cube
5. 2 x water buffer




PRICES PLANO MAT 304

IDRO0600A	I-DRAIN® grating Plano Mat - 60 cm	
IDRO0700A	I-DRAIN® grating Plano Mat- 70 cm	
IDRO0800A	I-DRAIN® grating Plano Mat - 80 cm	
IDRO0900A	I-DRAIN® grating Plano Mat - 90 cm	
IDRO1000A	I-DRAIN® grating Plano Mat - 100 cm	
IDRO1100A	I-DRAIN® grating Plano Mat - 110 cm	
IDRO1200A	I-DRAIN® grating Plano Mat - 120 cm	

TECHNICAL INFO



X	Y
598	590,5
698	690,5
798	790,5
898	890,5
998	990,5
1098	1090,5
1198	1190,5



x = total length grating
y = length decorative profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

PLANO MAT 316



CHARACTERISTICS PLANO MAT 316

- Material: Stainless steel 316
- Material grating supports: ABS
- Water buffer possible
- I-Cube basket and I-Cubes possible
- Possible to connect

CONTENT OF THE BOX

I-DRAIN® GRATING PLANO MAT 316


1. 1 x decorative profile
2. 1 x tile frame
3. 2 x I-Cube basket
4. 2 x I-Cube
5. 2 x water buffer




PRICES PLANO MAT 316

IDRO0600A.316	I-DRAIN® grating Plano Mat 316 - 60 cm	
IDRO0700A.316	I-DRAIN® grating Plano Mat 316 - 70 cm	
IDRO0800A.316	I-DRAIN® grating Plano Mat 316 - 80 cm	
IDRO0900A.316	I-DRAIN® grating Plano Mat 316 - 90 cm	
IDRO1000A.316	I-DRAIN® grating Plano Mat 316 - 100 cm	
IDRO1100A.316	I-DRAIN® grating Plano Mat 316 - 110 cm	
IDRO1200A.316	I-DRAIN® grating Plano Mat 316 - 120 cm	

TECHNICAL INFO



X	Y
598	590,5
698	690,5
798	790,5
898	890,5
998	990,5
1098	1090,5
1198	1190,5



x = total length grating
y = length decorative profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

PLANO POLISHED



CHARACTERISTICS PLANO POLISHED

- Material: Stainless steel 304
- Material grating supports: ABS
- Water buffer possible
- I-Cube basket and I-Cubes possible
- Possible to connect

CONTENT OF THE BOX

I-DRAIN® GRATING PLANO POLISHED


- 1 x decorative profile
- 1 x tile frame
- 2 x I-Cube basket
- 2 x I-Cube
- 2 x water buffer




PRICES PLANO POLISHED

IDRO0600F	I-DRAIN® grating Plano Polished - 60 cm	
IDRO0700F	I-DRAIN® grating Plano Polished - 70 cm	
IDRO0800F	I-DRAIN® grating Plano Polished - 80 cm	
IDRO0900F	I-DRAIN® grating Plano Polished - 90 cm	
IDRO1000F	I-DRAIN® grating Plano Polished - 100 cm	
IDRO1100F	I-DRAIN® grating Plano Polished - 110 cm	
IDRO1200F	I-DRAIN® grating Plano Polished - 120 cm	

TECHNICAL INFO



X	Y
598	590,5
698	690,5
798	790,5
898	890,5
998	990,5
1098	1090,5
1198	590,5



x = total length grating
y = length decorative profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

PLANO/TILE SOLID



CHARACTERISTICS PLANO/TILE SOLID

- Material kader: Stainless steel 304
- Material tile frame: Stainless steel 316
- Material grating supports: ABS
- Water buffer possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected
- Complies to EN1253, Class K3
- Tile thickness 9 mm

CONTENT OF THE BOX

I-DRAIN® GRATING PLANO/TILE SOLID


1. 1 x decorative profile
2. 1 x tile frame
3. 2 x water buffer




PRICES PLANO/TILE SOLID

IDRO0600K3Y	I-DRAIN® grating Plano/Tile Solid - 60 cm	
IDRO0700K3Y	I-DRAIN® grating Plano/Tile Solid - 70 cm	
IDRO0800K3Y	I-DRAIN® grating Plano/Tile Solid - 80 cm	
IDRO0900K3Y	I-DRAIN® grating Plano/Tile Solid - 90 cm	
IDRO1000K3Y	I-DRAIN® grating Plano/Tile Solid - 100 cm	
IDRO1100K3Y	I-DRAIN® grating Plano/Tile Solid - 110 cm	
IDRO1200K3Y	I-DRAIN® grating Plano/Tile Solid - 120 cm	

TECHNICAL INFO



X	Y	Z
598	592	592
698	692	692
798	792	792
898	892	892
998	992	992
1098	1092	1092
1198	1192	1192



x = total length grating
y = length decorative profile
z = length tile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

TILE 304



CHARACTERISTICS TILE 304

- Material: Stainless steel 304
- Material grating supports: ABS
- Water buffer possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected
- Tile thickness 9 mm

CONTENT OF THE BOX I-DRAIN® GRATING TILE 304


1. 1 x decorative profile
2. 1 x tile frame
3. 2 x water buffer




PRICES TILE 304

IDRO0600Y	I-DRAIN® grating Tile - 60 cm	
IDRO0700Y	I-DRAIN® grating Tile - 70 cm	
IDRO0800Y	I-DRAIN® grating Tile - 80 cm	
IDRO0900Y	I-DRAIN® grating Tile - 90 cm	
IDRO1000Y	I-DRAIN® grating Tile - 100 cm	
IDRO1100Y	I-DRAIN® grating Tile - 110 cm	
IDRO1200Y	I-DRAIN® grating Tile - 120 cm	

TECHNICAL INFO



X	Y	Z
598	591	588
698	691	688
798	791	788
898	891	888
998	991	988
1098	1091	1088
1198	1191	1188



x = total length grating
y = length decorative profile
z = length inner side profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

TILE 316



CHARACTERISTICS TILE 316

- Material: Stainless steel 316
- Material grating supports: ABS
- Water buffer possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected
- Tile thickness 9 mm

CONTENT OF THE BOX

I-DRAIN® GRATING TILE 316


1. 1 x decorative profile
2. 1 x tile frame
3. 2 x water buffer




PRICES TILE 316

IDRO0600Y.316	I-DRAIN® grating Tile 316 - 60 cm	
IDRO0700Y.316	I-DRAIN® grating Tile 316 - 70 cm	
IDRO0800Y.316	I-DRAIN® grating Tile 316 - 80 cm	
IDRO0900Y.316	I-DRAIN® grating Tile 316 - 90 cm	
IDRO1000Y.316	I-DRAIN® grating Tile 316 - 100 cm	
IDRO1100Y.316	I-DRAIN® grating Tile 316 - 110 cm	
IDRO1200Y.316	I-DRAIN® grating Tile 316 - 120 cm	

TECHNICAL INFO



X	Y	Z
598	591	588
698	691	688
798	791	788
898	891	888
998	991	988
1098	1091	1088
1198	1191	1188



x = total length grating
y = length decorative profile
z = length inner side profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

TILE BASE



CHARACTERISTICS TILE BASE

- Without frame
- Material decorative profile: Stainless steel 304
- Material grating supports: ABS
- PLANO or TILE finish
- Water buffers NOT possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected
- Tile thickness is unlimited

CONTENT OF THE BOX

I-DRAIN® GRATING TILE BASE


1. 1x decorative profile
2. 4 (6) x grating supports Plano 19,75 mm
3. 4 (6) x grating supports Tile 10,75 mm
4. 1x positioning scheme




PRICES TILE BASE

IDRO0600BY	I-DRAIN® grating Tile base - 60 cm	
IDRO0700BY	I-DRAIN® grating Tile base - 70 cm	
IDRO0800BY	I-DRAIN® grating Tile base - 80 cm	
IDRO0900BY	I-DRAIN® grating Tile base - 90 cm	
IDRO1000BY	I-DRAIN® grating Tile base - 100 cm	
IDRO1100BY	I-DRAIN® grating Tile base - 110 cm	
IDRO1200BY	I-DRAIN® grating Tile base - 120 cm	

TECHNICAL INFO



X
598
698
798
898
998
1098
1198



x = total length grating

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

LEVEL-3



CHARACTERISTICS LEVEL-3

- Material: Stainless steel 304
- Material grating supports: ABS
- Water buffers NOT possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected
- Ideal for mosaic, epoxy and very thin floor finishes.

CONTENT OF THE BOX

I-DRAIN® GRATING LEVEL-3



1. 1 x decorative profile
2. 1 x tile frame




PRICES LEVEL-3

IDRO0600Z	I-DRAIN® grating Level-3 - 60 cm	
IDRO0700Z	I-DRAIN® grating Level-3 - 70 cm	
IDRO0800Z	I-DRAIN® grating Level-3 - 80 cm	
IDRO0900Z	I-DRAIN® grating Level-3 - 90 cm	
IDRO1000Z	I-DRAIN® grating Level-3 - 100 cm	
IDRO1100Z	I-DRAIN® grating Level-3 - 110 cm	
IDRO1200Z	I-DRAIN® grating Level-3 - 120 cm	

TECHNICAL INFO



X	Y
598	591
698	691
798	791
898	891
998	991
1098	1091
1198	1191




x = total length grating
y = length decorative profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

SWAROVSKI



CHARACTERISTICS SWAROVSKI

- Material: Stainless steel 304
- Water buffer possible
- I-Cube baskets and I-Cubes NOT possible
- Can NOT be connected

CONTENT OF THE BOX I-DRAIN® GRATING SWAROVSKI


1. 1x decorative profile
2. 1x tile frame
3. 2x water buffer




PRICES SWAROVSKI

IDRO0600SWA	I-DRAIN® grating Swarovski - 60 cm	
IDRO0700SWA	I-DRAIN® grating Swarovski - 70 cm	
IDRO0800SWA	I-DRAIN® grating Swarovski - 80 cm	
IDRO0900SWA	I-DRAIN® grating Swarovski - 90 cm	
IDRO1000SWA	I-DRAIN® grating Swarovski - 100 cm	
IDRO1100SWA	I-DRAIN® grating Swarovski - 110 cm	
IDRO1200SWA	I-DRAIN® grating Swarovski - 120 cm	

TECHNICAL INFO



X	Y
598	590
698	690
798	790
898	890
998	990
1098	1090
1198	1190



x = total length grating (frame + tile)
y = length decorative profile

* Amount of grating supports depends on the length of the grating
600/700/800/900 - 4 grating supports
1000/1100/1200 - 6 grating supports

I-DRAIN® GRATINGS

SQUARE


CHARACTERISTICS SQUARE GRATINGS

- Material tile frame: Stainless steel 304
- Material grating supports: Plastic
- Water buffers, I-Cube baskets and I-Cubes NOT possible
- Adjustable in Height from 0 till 30 mm
- Every tile finish possible
- 3 grating designs available

Tile Basic: no tile frame
IDROSQ0150Y



Plano/Tile (reversible)
IDROSQ0150A



Star: brushed stainless steel
IDROSQ0150U



CONTENT OF THE BOX GRATING TILE BASIC




- 1x tileable profile with adjustable feet
- 1x silicon glue
- 1x suction cup

CONTENT OF THE BOX GRATING PLANO/TILE

- 1x reversible profile 'Plano/Tile'
- 1x tile frame
- 1x silicon glue
- 1x suction cup
- 4x riser blocks 2/3/4/5 mm

CONTENT OF THE BOX GRATING STAR

- 1x decorative profile 'Star'
- 1x tile frame
- 1x silicon glue
- 1x suction cup
- 4x riser blocks 2/3/4/5 mm



PRICES SQUARE GRATINGS

IDROSQ0150Y	I-DRAIN® Square grating - Tile Basic	148*148 mm	
IDROSQ0150A	I-DRAIN® Square grating - Plano/tile	149*149 mm	
IDROSQ0150U	I-DRAIN® Square grating - Star	149*149 mm	





**Π.Ε.Ο. Πατρών – Κορίνθου & Ρουμελιώτη,
Αγ. Βασίλειος Τσελέϊκα, 26504 Ρίο Πατρών**

**T: +30 2610 911411, 2610 620524 | F: +30 2610 911412
E: info@tselcon.gr | W: www.tselcon.gr**